## GOVERNMENT OF ANDHRA PRADESH ABSTRACT

Public services- I & CAD Department- Misappropriation in temporary flood protection works taken up in Dowlaiswaram, Head works division of I & CAD Department - Disciplinary proceedings against certain Engineers of I & CAD Department under Rule 20 of APCS(CC&A) Rules, 1991 - Appointment of Sri K. Sahadeva Reddy(Retd.), Commissioner of Inquiries, GA Department as Inquiring Authority in place of Sri Jitender, IPS, COI, GAD - ordersissued.

\_\_\_\_\_\_

### IRRIGATION & CAD (SER.VII(V&E-2) DEPARTMENT

#### G.O.Rt.No. 399

<u>Dt. 31-03-2012</u> Read the following :-

- 1. G.O.Rt.No. 482, I&CAD(Ser.VII(V&E.2)Deptt., Dt. 26-05-2011.
- 2. G.A.(COI-R) Dept. U.O. Note No. 23/COI-R/2012, Dt.04-02-2012.
- 3. G.O.Rt.No. 169, I&CAD(Ser.VII(V&E.2)Deptt.,Dt. 14-02-2012.
- 4. G.A.(COI-R) Dept. U.O. Note No. 89/COI-R/2012, Dt.24-03-2012.

\*\*\*

### ORDER

Whereas, an enquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against the following officers.

- 1. T.Kesava Rao, AE, GLB (U) section, Alamuru.
- 2. Ch.Venkateswara Rao, DY. EE, MI Sub Division No. III Rampachodavaram (Firmer Dy.EE Irrigation Sub Division, Rampachodavaram)
- 3. Sri D.Radha Krishna, AE, VLB (U) Section, Gopalapuram.
- 4. Sri D.Satya Prasad, AE, Irrigation Section, Gopalapuram
- 5. Sri U.Sai Babu, Dy.EE, Irrigation Sub Division, Gannavaram
- 6. Sri D.J.Augustine, EE, GC Division, Dowlaiswaram
- 7. Sri K.Seetha Rama Swamy, Former EE, GE Division, Dowlaiswaram (Retired as SE, IC, Dowlaiswaram
- 2. Where as Sri Jitender, IPS, Commissioner of Inquiries, GAD was appointed as Inquiring Authority to inquire into the charges framed against said officers vide reference 3<sup>rd</sup> read above;
- 3. And whereas the GA (COI-R) Department in the reference 4<sup>th</sup> read above, have informed that the case was reassign to Sri K. Sahadeva Raddy(Retd.), Commissioner of Inquiries as Inquiring Authority to inquire into the charges framed against the above said officers.
- 4. Now, therefore, the Government in exercise of the powers conferred by sub rule (2) read with sub-rule (22) of rule 20 the APCS(CC&A) Rules, 1991, hereby appoint Sri K. Sahadeva Reddy, (Retd.)Commissioner of Inquiries, GA Department, as Inquiring authority in place of Sri Jitender, IPS, COI to inquire into the charges framed against the said officers in para 1 above.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

# SHAILENDRA KUMAR JOSHI PRINCIPAL SECRETARY TO GOVERNMENT

То

Sri K. Sahadeva Reddy(Retd.), Commissioner of Inquiries, General Administration Department and Inquiring Authority.

Sri Jitender, I.P.S., Commissioner of Inquiries, General Administration Department.

Copy to:
The General Administration (COI-R) Department for information
Sri P. Gopalakrishna Reddy, I/c Chief Engineer, Godavari Delta System, Dowleswaram and Presenting officer

The individuals through the Engineer-in-Chief (AW), I & CAD Department, Hyderabad.

The Engineer-in-Chief (AW), I & CAD Department, Hyderabad.

//FORWARDED :: BY ORDER//

**SECTION OFFICER**